## NR6020S Series

## Wire Wound SMD Power Inductors



#### **FEATURES**

- RoHS compliant
- Highly accurate dimensions
- Terminals are highly resistant to external forces
- Highly reliable in environments of sudden temperature change and humidity
- Superior EMI characteristics with ultra low radiation comparing to conventional shielded power inductors
- Operate temperature range ....  $-40^{\circ}$ C  $\sim$  + 125 $^{\circ}$ C (Including self temp. rise)

#### **APPLICATIONS**

- LCD TV
- Monitor
- Ap router
- STB and smart phone
- Touch panel
- DSC
- Game console and other electronic devices

#### PRODUCT IDENTIFICATION

NR 6020 S 2R2 M T

① ② ③ ④ ⑤ ⑥

(1) Series Name:Wire Wound SMD Power Inductors

② Size Code: L\*W\*T


③ Feature Type:Standard


(4) Initial inductance value: 2R2 = 2.2uH

5 Inductance Tolerance:M±20%

<sup>(6)</sup> Packing: Tape & Reel

### **Shape and Dimensions (Unit:mm)**





Recommended Land Pattern

| Series  | A       | В       | С        | D       | Е        | F       | а Тур. | b Тур. | с Тур. |
|---------|---------|---------|----------|---------|----------|---------|--------|--------|--------|
| NR6020S | 6.0±0.3 | 6.0±0.3 | 2.0 Max. | 4.9±0.3 | 1.55±0.3 | 2.9±0.2 | 2.8    | 1.7    | 5.7    |



## **Electrical Characteristics List**

|     | Dout Name hou | Inductance  | DC Res | sistance | Isat(A) |      | Irms(A) |      |         |
|-----|---------------|-------------|--------|----------|---------|------|---------|------|---------|
| NO. | Part Number   | 100KHz/1.0V | Max.   | Тур.     | Max.    | Тур. | Max.    | Тур. | Marking |
|     | Units         | (uH)        | Ω      | Ω        | A       | A    | A       | A    |         |
| 1   | NR6020S1R0NT  | 1.0±30%     | 0.026  | 0.021    | 4.15    | 5.00 | 3.50    | 4.40 | 1R0     |
| 2   | NR6020S1R5NT  | 1.5±30%     | 0.029  | 0.022    | 4.25    | 5.10 | 3.20    | 4.00 | 1R5     |
| 3   | NR6020S2R2MT  | 2.2±20%     | 0.037  | 0.029    | 3.75    | 4.50 | 2.75    | 3.50 | 2R2     |
| 4   | NR6020S3R3MT  | 3.3±20%     | 0.046  | 0.039    | 3.15    | 3.70 | 2.60    | 3.30 | 3R3     |
| 5   | NR6020S4R7MT  | 4.7±20%     | 0.075  | 0.062    | 3.00    | 3.60 | 2.00    | 2.50 | 4R7     |
| 6   | NR6020S6R8MT  | 6.8±20%     | 0.103  | 0.083    | 2.20    | 2.60 | 1.80    | 2.30 | 6R8     |
| 7   | NR6020S100MT  | 10.0±20%    | 0.137  | 0.113    | 1.75    | 2.10 | 1.40    | 1.80 | 100     |
| 8   | NR6020S150MT  | 15.0±20%    | 0.189  | 0.157    | 1.20    | 1.40 | 1.20    | 1.50 | 150     |
| 9   | NR6020S220MT  | 22.0±20%    | 0.265  | 0.223    | 1.05    | 1.20 | 1.00    | 1.30 | 220     |
| 10  | NR6020S330MT  | 33.0±20%    | 0.390  | 0.351    | 0.95    | 1.10 | 0.84    | 1.05 | 330     |
| 11  | NR6020S470MT  | 47.0±20%    | 0.559  | 0.472    | 0.70    | 0.90 | 0.80    | 0.90 | 470     |
| 12  | NR6020S101MT  | 100.0±20%   | 1.450  | 1.375    | 0.50    | 0.60 | 0.35    | 0.40 | 101     |

#### Notes:

<sup>%1:</sup> All test data is referenced to 20°C ambient;

<sup>※2:</sup> Rated current: Isat or Irms, whichever is smaller;

<sup>%</sup>\*3: Isat: DC current at which the inductance drops approximate 30% from its value without current;

<sup>%</sup>\*4: Irms: DC current that causes the temperature rise ( $\triangle$ T =40°C) from 20°C ambient.



# Reliability Test


| TEST ITEM                             | SPECIFICATION   | TEST CONDITION  |
|---------------------------------------|---|---|
| Withstanding voltage test             | After test, inductors shall have no evidence of electrical and mechanical damage.   | AC voltage of 100v and AC current of 1mA applied between inductor's terminal and core for 3 secs.   |
| Resistance to soldering heat          | <ol> <li>Inductor shall have no eviden of electrical and mechanical damage.</li> <li>Inductance shall not chan more than ±5%.</li> <li>Q shall not change more than 20%.</li> </ol> | a. Temp: 260±5<br>b. Time: 10±1.0 se  |
| Solderability<br>test                 | The terminal shall be at least 95% covered with solder.   | After fluxing, the terminal shall be dipped in a melted solder bath at 245±5°C for 4±1.0 secs.  |
| High temperature & high humidity test | The anti-erosion quality of the   | a. Test conditi  1)Temp.:85°C, R.H.:85%  2)Time:144±2hours  b. Measurement method  The experimental component should be put at normal condition for 2 hours then to measure again after test                    |
| Salt spray test                       | surface and the specimen's inductance shall not change from the initial value within ±10%   | a. Test conditi  1)Temp.:35±2°C  2)Time:48±2hours  3)Salt solution PH:6.5~7.2  b. Measurement method  The experimental component should be put at normal condition for 2 hours then to measure again after test |
| Vibration test                        | <ol> <li>Inductance shall be within 10% of the initial value.</li> <li>Appearance:no dama</li> </ol>  | <ul> <li>a. Frequency: 10 to 55</li> <li>b. Amplitude: 1.5</li> <li>c. Direction and tim</li> <li>X, Y and Z directions for 2 hours each.</li> </ul>  |



| TEST ITEM                              | SPECIFICATION  | TEST CONDITION  |
|--|--|---|
| Free fall test                         | No mechanical damage shall be noticed.   | Drop 5 times on a concrete floor from lm the height   |
| Temperature<br>Cycling test            | <ol> <li>Inductance shall be within</li> <li>of the initial value</li> <li>Appearance:No dama</li> </ol> | a. Test conditi  1)Temp.:-55°C,time:30±3min  2)Temp.:+125°C,time: 30±3min  3)Cycles times:12 cycles  b. Measurement method  The experimental component should be put at normal condition for 2 hours then to measure again after test |
| High<br>Temperature<br>resistance test |  | a. Test conditi  1)Applied rated current  2)Temp.:85°C±2°C  3)Test time:1000+24/-0H  b. Measurement method  The experimental component should be put at normal condition for 24 hours then to measure again after test.               |
| Low temperature resistance test        |  | a. Test conditi  1)Temp.:-55°C±2°C  2)Test time:1000+24/-0H  b. Measurement method  The experimental component should be put at normal condition for 24 hours then to measure again after test.                                       |

We have suggested the storage period of lead-free product should not over 6 months.


## Structure (The structure of product.)



| NO | Components    | Material                                 |
|----|---------------|--|
| 1  | Core          | Ni-Zn Ferrite                            |
| 2  | Wire          | Polyurethane system enameled copper wire |
| 3  | Magnetic Glue | Epoxy resin and magnetic powder          |
| 4  | Plating       | AgNiSn or FeNiCu + Sn Alloy              |



## PACKAGING(unit: mm)




2.包装尺寸:




13" 盘

7" 盘



|   | 13" 盘     | 7" 盘     |  |  |  |  |
|---|-----------|----------|--|--|--|--|
| Α | Ф330±2.0  | Ф178±2.0 |  |  |  |  |
| D | 12.5/16.5 |          |  |  |  |  |



| Size | Item | W        | A0           | В0           | K0      | Р       | T       | E        | F       | D0      | Р0      |
|------|------|----------|--------------|--------------|---------|---------|---------|----------|---------|---------|---------|
| 6020 | (mm) | 12.0±0.3 | $6.5\pm0.15$ | $6.5\pm0.15$ | 3.0±0.2 | 8.0±0.3 | 0.4±0.1 | 1.75±0.1 | 5.5±0.1 | 1.5±0.1 | 4.0±0.2 |

Packing Quantity:2500pcs/Reel

## Re-flowing Profile:

