



SPLICE

TE Internal #: 60933-2
Pigtail Splice / Thru Splice, 2200 – 2900 CMA, Steel, 0 Serration,
Length 3.99 mm [.157 in], Reel, Open Barrel, Solid / Stranded Wire,
SPLICE

[View on TE.com >](#)

Terminals & Splices > Splices



Splice Type: **Pigtail Splice, Thru Splice**
Sealable: **No**
Wire Size: **2200 – 2900 CMA**
Contact Base Material: **Steel**
Terminal Material Thickness: **.3 mm [.012 in]**

Features

Body Features

Product Weight	.035 g
----------------	--------

Packaging Features

Packaging Quantity	100000
Packaging Method	Reel

Product Type Features

Splice Type	Pigtail Splice, Thru Splice
Sealable	No
Compatible With Discrete Wire Type	Solid, Stranded
Wire Insulation Support Retention Type	Non-Insulation Support

Configuration Features

Number of Serrations	0
Compatible With Wire & Cable Type	Discrete Wire

Contact Features

--	--



Contact Base Material	Steel
Barrel Type	Open

Mechanical Attachment

Wire Insulation Support	Without
-------------------------	---------

Dimensions

Wire Size	2200 – 2900 CMA
Terminal Material Thickness	.3 mm[.012 in]
Product Length	3.99 mm[.157 in]

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-40 – 250 °C[-40 – 482 °F]

Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

Industry Standards

Government Qualified Splice	No
-----------------------------	----

Other

EU RoHS Compliance	Compliant
EU ELV Compliance	Compliant

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer




This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # 42329-1 SPLICE 1200-2600 .012 NPST	TE Part # 61008-1 SPLICE 18-16 AWG .0158 TPST	TE Part # 61299-1 SPLICE 7000-12500 .031 TPST	TE Part # 41627-1 SPLICE 4000-10000 .025 ST
TE Part # 41215 SPLICE 2200-4500 CMA NPSTL	TE Part # 60932-2 SPLICE 2500-4700 .020 TPST	TE Part # 160659-2 SPLICE 800-2500 .016 NPST	TE Part # 485020-1 SPLICE 6000-8000 .020 TPST
TE Part # 61021-1 SPLICE 18-16 AWG .0126 NPST	TE Part # 61300-1 SPLICE IS 10000-16000 .031 TPST	TE Part # 63414-1 SPLICE 9000-16000 .031 TPST	

Also in the Series | SPLICE



Crimp Wire Pins, Tabs & Ferrules(1)



Splices(63)

Customers Also Bought




TE Part #CB5378-000
SST-48-17/FR/97



TE Part #63832-2
187 FASTON REC 18-14 AWG TPBR



TE Part #YDTS20W13-35SNV001
RECP ASSY



TE Part #776280-1
8POS,PIN DIA 1.3,HDR ASSY,90DEG, COD 1



TE Part #173707-1
E-J MK-2 070 REC CONT LP



TE Part #YDTS20W09-35PNV001
RECP ASSY



TE Part #YDTS20W11-05PNV001
RECP ASSY



TE Part #1488991-2
3POS, MCON 1.2 CB REC 2p TL SEALED



TE Part #AS016-35SN
RECEPT.2 HOLE MNT.TYPE 0

Documents

Product Drawings
SPLICE 2200-2900 .012 TPST
English

CAD Files
3D PDF
3D
Customer View Model
ENG_CVM_CVM_60933-2_L_c-60933-2-l.2d_dxf.zip



English

Customer View Model

[ENG_CVM_CVM_60933-2_L_c-60933-2-l.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_60933-2_L_c-60933-2-l.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Application Specification

English