

REV.	ECN NO.	DESCRIPTION	DATE	DESIGN

NOTES :

- 1.0. RATING :
- 1.1. VOITAGE :60 VAC (R.M.S.)

1.2. NOMINAL CHARACTERISTIC IMPEDANCE: 50 Ohm




1.3. APPLICABLE FREQUENCY: DC ~ 6GHz

1.4. VSWR: 1.3 MAX. (DC~3GHz), 1.5 MAX. (3~6GHz)


1.5. TEMPERATURE :−40°C TO +85°C

2.0. ALL DIMENSIONS SHOULD BE CONTROLLED IN FAI.:

3.0. MARKED SHOULD BE CONTROLLED BY QIP.:




SECTION A-A



RECOMMENDED PCB LAYOUT
(TOLERANCE:±0.05)




CENTER CONTACT GROUND CONTACT



TOLERANCE		 深圳聚兴泰电子科技有限公司 Shenzhen Juxingtai Electronic Technology Co., Ltd			
X.X:±0.15	X*:±2*	PART NO. AIPEX-3	TITLE: MICRO RF III RECEPTACLE SMT TYPE		
X.XX:±0.05	X.X':±1*				
X.XXX:±0.05			MANUFACTURE DWG		
UNITS	mm	DESIGN: Ethan			
MATERILA	— — —	CHED: Olvia		SCALE	SHEET
FINISH	— — —	APPD: Ava		N:A	1/1



REV.	ECN NO.	DESCRIPTION	DATE	DESIGN



NOTES:

1. MATERIAL :

- 1.1 EMBOSSED CARRIER: PET
- 1.2 COVER TAPE: PET
- 1.3 SHIPPING CARTON: CORRUGATED FIBER



2. DIMENSION :

- 2.1 REEL: W=12.4
- 2.2 SHIPPING CARTON: L=190, W=190, H=190

3. PEELING RESISTANCE: 10gf~130gf.

4. QUANTITY/WEIGHT :



PART NO.	PRIMARY PACKING	SECONDARY PACKING	NET WEIGHT	GROSS WEIGHT
AIPEX-3	3000PCS/REEL	30000PCS/BOX	0.18KG/REEL	2.00KG/BOX



TOLERANCE		 深圳聚兴泰电子科技有限公司 Shenzhen Juxingtai Electronic Technology Co., Ltd			
X.X:±0.15	X.°:±2°	PART NO. AIPEX-3	TITLE: MICRO RF III RECEPTACLE SMT TYPE		
X.XX:±0.05	X.X':±1°				
X.XXX:±0.05					
UNITS	mm	DESIGN: Ethan	MANUFACTURE DWG		
MATERILA	— — —	CHED: Olvia		SCALE	SHEET
FINISH	— — —	APPD: Ava		N:A	1/1



REV.	ECN NO.	DESCRIPTION	DATE	DESIGN



品名 NAME: _____

料号 PART No.: _____

客户料号 CLIENT P/N: _____



客户订单 CLIENT PO#: _____

数量 Q'TY: _____ 重量 WEIGHT: _____

批次 LOT No.: _____

日期 DATE : _____

ID LABEL




Q'T' Y: 30,000 PCS

N. W: 1.76 KGS

G. W: 2.0 KGS

MEAS: 19X19X19CM



TOLERANCE		 深圳聚兴泰电子科技有限公司 Shenzhen Juxingtai Electronic Technology Co., Ltd			
X.X:±0.15	X':±2"	PART NO. AIPEX-3	TITLE: MICRO RF III RECEPTACLE SMT TYPE		
X.XX:±0.05	X.X':±1"				
X.XXX:±0.05					
UNITS	mm	DESIGN: Ethan	MANUFACTURE DWG		
MATERILA	— — —	CHED: Olvia			
FINISH	— — —	APPD: Ava			
				SCALE N:A	SHEET 1/1