



圆形裸端子 (德标)
Non-Insulated Ring Terminal
(DIN Type)




型号 ITEM NO .	螺栓口直径 Metric d2	尺寸 DIMENSION mm							包装 PCS/ PACK
		B	F	L	E	D	d1	T	
DRNB2-0.5	2.2	5.0	10.0	12.5	4.0	2.0	1.0	0.5	1000
DRNB2.5-0.5	2.7								
DRNB3-0.5	3.2								
DRNB3.5-0.5	3.7	6.5	12.0	15.3					
DRNB4-0.5	4.3								
DRNB5-0.5	5.3								
DRNB2-1	2.2	6.5	11.0	14.3	5.0	3.4	1.6	0.8	1000
DRNB2.5-1	2.7								
DRNB3-1	3.2								
DRNB3.5-1	3.7								
DRNBS4-1	4.3								
DRNB4-1	4.3	8.0	12.5	16.5					
DRNBS5-1	5.3								
DRNB5-1	5.3								
DRNB6-1	6.5	10.0	13.0	18.0					
DRNB8-1	8.5								
DRNB10-1	10.5								
DRNBL10-1	10.5	18.0	19.0	28.0					
DRNB12-1	13.0								

圆形裸端子 (德标)
Non-Insulated Ring Terminal
(DIN Type)




型号 ITEM NO .	螺栓口直径 Metric d2	尺寸 DIMENSION mm							包装 PCS/ PACK
		B	F	L	E	D	d1	T	
DRNB3-2.5	3.2	6.8	11.4	14.8	5.0	4.0	2.3	0.8	1000
DRNB3.5-2.5	3.7								
DRNBS4-2.5	4.3								
DRNB4-2.5	4.3	8.0	13.0	17.0					
DRNBS5-2.5	5.3								
DRNB5-2.5	5.3								
DRNB6-2.5	6.5	11.0	16.0	21.5					
DRNB8-2.5	8.5								
DRNB10-2.5	10.5								
DRNBL10-2.5	10.5	15.0	17.0	24.5					
DRNB12-2.5	13.0								
DRNB12-2.5	13.0	18.0	19.0	28.0					
DRNB3-6	3.2								
DRNB3.5-6	3.7	8.0	14.0	18.0					
DRNB4-6	4.3								
DRNB5-6	5.3								
DRNB6-6	6.5	11.0	16.0	21.5					
DRNB8-6	8.5								
DRNB10-6	10.5								
DRNB12-6	13.0	18.0	21.0	30.0					
DRNB3-6	3.2								
DRNB3.5-6	3.7								
DRNB4-6	4.3	11.0	17.0	22.5					
DRNB5-6	5.3								
DRNB6-6	6.5								
DRNB8-6	8.5	14.0	20.0	27.0					
DRNB10-6	10.5								
DRNB12-6	13.0								
DRNB3-6	3.2	18.0	21.0	30.0					
DRNB3.5-6	3.7								
DRNB4-6	4.3								
DRNB5-6	5.3	11.0	16.0	21.5					
DRNB6-6	6.5								
DRNB8-6	8.5								
DRNB10-6	10.5	18.0	21.0	30.0					
DRNB12-6	13.0								
DRNB3-6	3.2								
DRNB3.5-6	3.7	11.0	17.0	22.5					
DRNB4-6	4.3								
DRNB5-6	5.3								
DRNB6-6	6.5	14.0	20.0	27.0					
DRNB8-6	8.5								
DRNB10-6	10.5								
DRNB12-6	13.0	18.0	21.0	30.0					
DRNB3-6	3.2								
DRNB3.5-6	3.7								
DRNB4-6	4.3	11.0	17.0	22.5					
DRNB5-6	5.3								
DRNB6-6	6.5								
DRNB8-6	8.5	14.0	20.0	27.0					
DRNB10-6	10.5								
DRNB12-6	13.0								
DRNB3-6	3.2	18.0	21.0	30.0					
DRNB3.5-6	3.7								
DRNB4-6	4.3								
DRNB5-6	5.3	11.0	16.0	21.5					
DRNB6-6	6.5								
DRNB8-6	8.5								
DRNB10-6	10.5	18.0	21.0	30.0					
DRNB12-6	13.0								
DRNB3-6	3.2								
DRNB3.5-6	3.7	11.0	17.0	22.5					
DRNB4-6	4.3								
DRNB5-6	5.3								
DRNB6-6	6.5	14.0	20.0	27.0					
DRNB8-6	8.5								
DRNB10-6	10.5								
DRNB12-6	13.0	18.0	21.0	30.0					
DRNB3-6	3.2								
DRNB3.5-6	3.7								
DRNB4-6	4.3	11.0	17.0	22.5					
DRNB5-6	5.3								
DRNB6-6	6.5								
DRNB8-6	8.5	14.0	20.0	27.0					
DRNB10-6	10.5								
DRNB12-6	13.0								
DRNB3-6	3.2	18.0	21.0	30.0					
DRNB3.5-6	3.7								
DRNB4-6	4.3								
DRNB5-6	5.3	11.0	16.0	21.5					
DRNB6-6	6.5								
DRNB8-6	8.5								
DRNB10-6	10.5	18.0	21.0	30.0					
DRNB12-6	13.0								
DRNB3-6	3.2								
DRNB3.5-6	3.7	11.0	17.0	22.5					
DRNB4-6	4.3								
DRNB5-6	5.3								
DRNB6-6	6.5	14.0	20.0	27.0					
DRNB8-6	8.5								
DRNB10-6	10.5								
DRNB12-6	13.0	18.0	21.0	30.0					
DRNB3-6	3.2								
DRNB3.5-6	3.7								
DRNB4-6	4.3	11.0	17.0	22.5					
DRNB5-6	5.3								
DRNB6-6	6.5								
DRNB8-6	8.5	14.0	20.0	27.0					
DRNB10-6	10.5								
DRNB12-6	13.0								
DRNB3-6	3.2	18.0	21.0	30.0					
DRNB3.5-6	3.7								
DRNB4-6	4.3								
DRNB5-6	5.3	11.0	16.0	21.5					
DRNB6-6	6.5								
DRNB8-6	8.5								
DRNB10-6	10.5	18.0	21.0	30.0					
DRNB12-6	13.0								
DRNB3-6	3.2								
DRNB3.5-6	3.7	11.0	17.0	22.5					
DRNB4-6	4.3								
DRNB5-6	5.3								
DRNB6-6	6.5	14.0	20.0	27.0					
DRNB8-6	8.5								
DRNB10-6	10.5								
DRNB12-6	13.0	18.0	21.0	30.0					
DRNB3-6	3.2								
DRNB3.5-6	3.7								
DRNB4-6	4.3	11.0	17.0	22.5					
DRNB5-6	5.3								
DRNB6-6	6.5								
DRNB8-6	8.5	14.0	20.0	27.0					
DRNB10-6	10.5								
DRNB12-6	13.0								
DRNB3-6	3.2	18.0	21.0	30.0					
DRNB3.5-6	3.7								
DRNB4-6	4.3								
DRNB5-6	5.3	11.0	16.0	21.5					
DRNB6-6	6.5								
DRNB8-6	8.5								
DRNB10-6	10.5	18.0	21.0	30.0					
DRNB12-6	13.0								
DRNB3-6	3.2								
DRNB3.5-6	3.7	11.0	17.0	22.5					
DRNB4-6	4.3								
DRNB5-6	5.3								
DRNB6-6	6.5	14.0	20.0	27.0					
DRNB8-6	8.5								
DRNB10-6	10.5								
DRNB12-6	13.0	18.0	21.0	30.0					
DRNB3-6	3.2								
DRNB3.5-6	3.7								
DRNB4-6	4.3	11.0	17.0	22.5					
DRNB5-6	5.3								
DRNB6-6	6.5								
DRNB8-6	8.5	14.0	20.0	27.0					
DRNB10-6	10.5								
DRNB12-6	13.0								
DRNB3-6	3.2	18.0	21.0	30.0					
DRNB3.5-6	3.7								
DRNB4-6	4.3								
DRNB5-6	5.3	11.0	16.0	21.5					
DRNB6-6	6.5								
DRNB8-6	8.5								
DRNB10-6	10.5	18.0	21.0	30.0					
DRNB12-6	13.0								
DRNB3-6	3.2								
DRNB3.5-6	3.7	11.0	17.0	22.5					
DRNB4-6	4.3								
DRNB5-6	5.3								
DRNB6-6	6.5	14.0	20.0	27.0					
DRNB8-6	8.5								
DRNB10-6	10.5								
DRNB12-6	13.0	18.0	21.0	30.0					
DRNB3-6	3.2								
DRNB3.5-6	3.7								
DRNB4-6	4.3	11.0	17.0	22.5					
DRNB5-6	5.3								
DRNB6-6	6.5								
DRNB8-6	8.5	14.0	20.0	27.0					
DRNB10-6	10.5								
DRNB12-6	13.0								
DRNB3-6	3.2	18.0	21.0	30.0					
DRNB3.5-6	3.7								
DRNB4-6	4.3								
DRNB5-6	5.3	11.0	16.0	21.5					
DRNB6-6	6.5								
DRNB8-6	8.5								
DRNB10-6	10.5	18.0	21.0	30.0					
DRNB12-6	13.0								
DRNB3-6	3.2								
DRNB3.5-6	3.7	11.0	17.0	22.5					
DRNB4-6	4.3								
DRNB5-6	5.3								
DRNB6-6	6.5	14.0	20.0	27.0					
DRNB8-6	8.5								
DRNB10-6	10.5								
DRNB12-6	13.0	18.0	21.0	30.0					
DRNB3-6	3.2								
DRNB3.5-6	3.7								
DRNB4-6	4.3	11.0	17.0	22.5					
DRNB5-6	5.3								
DRNB6-6	6.5								
DRNB8-6	8.5	14.0	20.0	27.0					
DRNB10-6	10.5								
DRNB12-6	13.0								
DRNB3-6	3.2	18.0	21.0	30.0					
DRNB3.5-6	3.7								
DRNB4-6	4.3								
DRNB5-6	5.3	11.0	16.0	21.5					
DRNB6-6	6.5								
DRNB8-6	8.5								
DRNB10-6	10.5	18.0	21.0	30.0					
DRNB12-6	13.0								
DRNB3-6	3.2								
DRNB3.5-6	3.7	11.0	17.0	22.5					
DRNB4-6	4.3								
DRNB5-6	5.3								
DRNB6-6	6.5	14.0	20.0	27.0					
DRNB8-6	8.5								
DRNB10-6	10.5								
DRNB12-6	13.0	18.0	21.0	30.0					
DRNB3-6	3.2								
DRNB3.5-6	3.7								
DRNB4-6	4.3	11.0	17.0	22.5					
DRNB5-6	5.3								
DRNB6-6	6.5								
DRNB8-6	8.5	14.0	20.0	27.0					
DRNB10-6	10.5								
DRNB12-6	13.0								
DRNB3-6	3.2	18.0	21.0	30.0					
DRNB3.5-6	3.7								
DRNB4-6	4.3								
DRNB5-6	5.3	11.0	16.0	21.5					
DRNB6-6	6.5								
DRNB8-6	8.5								
DRNB10-6	10.5	18.0	21.0	30.0					
DRNB12-6	13.0								
DRNB3-6	3.2								
DRNB3.5-6	3.7	11.0	17.0	22.5					
DRNB4-6	4.3								
DRNB5-6	5.3								
DRNB6-6	6.5	14.0	20.0	27.0					
DRNB8-6	8.5								
DRNB10-6	10.5								
DRNB12-6	13.0	18.0	21.0	30.0					
DRNB3-6	3.2								
DRNB3.5-6	3.7								
DRNB4-6	4.3	11.0	17.0	22.5					
DRNB5-6	5.3								
DRNB6-6	6.5								
DRNB8-6	8.5	14.0	20.0	27.0					
DRNB10-6	10.5								
DRNB12-6	13.0								
DRNB3-6	3.2	18.0	21.0	30.0					
DRNB3.5-6	3.7								
DRNB4-6	4.3								
DRNB5-6	5.3	11.0	16.0	21.5					
DRNB6-6	6.5								
DRNB8-6	8.5								
DRNB10-6	10.5	18.0	21.0	30.0					
DRNB12-6	13.0								
DRNB3-6	3.2								
DRNB3.5-6	3.7	11.0	17.0	22.5					
DRNB4-6	4.3								
DRNB5-6	5.3								
DRNB6-6	6.5	14.0	20.0	27.0					
DRNB8-6	8.5								
DRNB10-6	10.5								
DRNB12-6	13.0	18.0	21.0	30.0					
DRNB3-6	3.2								
DRNB3.5-6	3.7								
DRNB4-6	4.3	11.0	17.0	22.5					
DRNB5-6	5.3								
DRNB6-6	6.5								
DRNB8-6	8.5	14.0	20.0	27.0					
DRNB10-6	10.5								
DRNB12-6	13.0								
DRNB3-6	3.2	18.0	21.0	30.0					
DRNB3.5-6	3.7								
DRNB4-6	4.3								
DRNB5-6	5.3	11.0	16.0	21.5					
DRNB6-6	6.5								
DRNB8-6	8.5								
DRNB10-6	10.5	18.0	21.0	30.0					
DRNB12-6	13.0								
DRNB3-6	3.2								
DRNB3.5-6	3.7	11.0	17.0	22.5					
DRNB4-6	4.3								
DRNB5-6	5.3								
DRNB6-6	6.5	14.0	20.0	27.0					
DRNB8-6	8.5								
DRNB10-6	10.5								
DRNB12-6	13.0	18.0	21.0	30.0					
DRNB3-6	3.2								
DRNB3.5-6	3.7								
DRNB4-6	4.3	11.0	17.0	22.5					
DRNB5-6	5.3								
DRNB6-6	6.5								
DRNB8-6	8.5	14.0	20.0	27.0					
DRNB10-6	10.5								
DRNB12-6	13.0								
DRNB3-6	3.2	18.0	21.0	30.0					
DRNB3.5-6	3.7								
DRNB4-6	4.3								
DRNB5-6	5.3	11.0	16.0	21.5					
DRNB6-6	6.5								
DRNB8-6	8.5								
DRNB10-6	10.5	18.0	21.0	30.0					
DRNB12-6	13.0								
DRNB3-6	3.2								
DRNB3.5-6	3.7	11.0	17.0	22.5					
DRNB4-6	4.3								
DRNB5-6	5.3								
DRNB6-6	6.5	14.0	20.0	27.0					
DRNB8-6	8.5								
DRNB10-6	10.5								
DRNB12-6	13.0	18.0	21.0	30.0					
DRNB3-6	3.2								
DRNB3.5-6	3.7								
DRNB4-6	4.3	11.0	17.0	22.5					
DRNB5-6	5.3								
DRNB6-6	6.5								
DRNB8-6	8.5	14.0	20.0	27.0					
DRNB10-6	10.5								
DRNB12-6	13.0								
DRNB3-6	3.2	18.0	21.0	30.0					
DRNB3.5-6	3.7								
DRNB4-6	4.3								
DRNB5-6	5.3	11.0	16.0	21.5					
DRNB6-6	6.5								
DRNB8-6	8.5								
DRNB10-6	10.5	18.0	21.0	30.0					
DRNB12-6	13.0								
DRNB3-6	3.2								
DRNB3.5-6	3.7	11.0	17.0	22.5					
DRNB4-6	4.3								
DRNB5-6	5.3								
DRNB6-6	6.5	14.0	20.0	27.0					
DRNB8-6	8.5								
DRNB10-6	10.5								
DRNB12-6	13.0	18.0	21.0	30.0					
DRNB3-6	3.2								
DRNB3.5-6	3.7								
DRNB4-6	4.3	11.0	17.0	22.5					
DRNB5-6	5.3								
DRNB6-6	6.5								
DRNB8-6	8.5	14.0	20.0	27.0					
DRNB10-6	10.5								
DRNB12-6	13.0								
DRNB3-6	3.2	18.0	21.0	30.0					
DRNB3.5-6	3.7								
DRNB4-6	4.3								
DRNB5-6	5.3	11.0	16.0	21.5					
DRNB6-6	6.5								
DRNB8-6	8.5								
DRNB10-6	10.5	18.0	21.0	30.0					
DRNB12-6	13.0								
DRNB3-6	3.2								
DRNB3.5-6	3.7	11.0							

圆形裸端子 (德标)
Non-Insulated Ring Terminal
(DIN Type)



型号 ITEM NO .	螺栓口直径 Metric d2	尺寸 DIMENSION mm							包装 PCS/ PACK
		B	F	L	E	D	d1	T	
DRNB5-16	5.3	11.0	20.0	25.5	10.0	8.4	5.8	1.2	500
DRNB6-16	6.5								
DRNB8-16	8.5								
DRNB10-16	10.5								
DRNB12-16	13.0								
DRNB5-25	5.3	12.0	25.0	31.0	11.0	10.7	7.5	1.5	200
DRNB6-25	6.5								
DRNB8-25	8.5	18.0	26.0	35.0					
DRNB10-25	10.5								
DRNB12-25	13.0								
DRNB16-25	17.0	22.0	31.0	42.0					
DRNB6-35	6.5	16.0	26.0	34.0	12.0	12.4	9.0	1.6	200
DRNB8-35	8.5								
DRNB10-35	10.5								
DRNB12-35	13.0								
DRNB16-35	17.0								
DRNB6-50	6.5	18.0	34.0	43.0	16.0	14.8	11.0	1.8	100
DRNB8-50	8.5								
DRNB10-50	10.5								
DRNB12-50	13.0								
DRNB16-50	17.0								

圆形裸端子 (德标)
Non-Insulated Ring Terminal
(DIN Type)



型号 ITEM NO .	螺栓口直径 Metric d2	尺寸 DIMENSION mm							包装 PCS/ PACK
		B	F	L	E	D	d1	T	
DRNB6-70	6.5	22.0	38.0	49.0	18.0	17.2	13.0	2.0	100
DRNB8-70	8.5								
DRNB10-70	10.5								
DRNB12-70	13.0								
DRNB16-70	17.0	28.0	42.0	56.0					
DRNB6-95	6.5	24.0	42.0	54.0	20.0	20.2	15.0	2.5	50
DRNB8-95	8.5								
DRNB10-95	10.5								
DRNB12-95	13.0								
DRNB16-95	17.0	28.0	44.0	58.0					
DRNB8-120	8.5	24.0	44.0	56.0	22.0	22.7	16.5	3.0	50
DRNB10-120	10.5								
DRNB12-120	13.0								
DRNB16-120	17.0								
DRNB8-150	8.5	30.0	50.0	65.0	24.0	25.6	19.0	3.2	20
DRNB10-150	10.5								
DRNB12-150	13.0								
DRNB16-150	17.0								
DRNB8-185	8.5	36.0	50.0	68.0	28.0	28.2	21.0	3.5	10
DRNB10-185	10.5								
DRNB12-185	13.0								
DRNB16-185	17.0								
DRNB8-240	8.5	38.0	56.0	75.0	32.0	31.7	23.5	4.0	10
DRNB10-240	10.5								
DRNB12-240	13.0								
DRNB16-240	17.0								