

REV.	ECN NO.	DESCRIPTION	DWN.	APVD.	DATE
A	N/A	INITIAL ISSUE	HL	DLQ	2016/06/06

NOTES:

1.SPECIFICATIONS:

- 1.1 VOLTAGE RATING: 250V DC/AC
- 1.2 CURRENT RATING: 5A
- 1.3 CONTACT RESISTANCE: 10m Ω MAX
- 1.4 INSULATION RESISTANCE: 1000M Ω MIN
- 1.5 WITHSTANDING VOLTAGE: 1000V AC FOR 1MIN
- 1.6 TEMPERATURE RANGE:-40C° ~ +105°C

2.MATERIAL:

- 2.1 HOUSING:PA66+30% G.F(HF),BLACK UL 94V-0
- 2.2 CONTACT:BRASS(C2700)
- 2.3 FINISH:50u"MIN NICKEL UNDER PLATED
100u"MIN MATTE TIN PLATED OVER ALL

ORDERING INFORMATION

PW04S5***P201

MATERIAL:

2=PA66+30% G.F
J=PA66+30% G.F(HF)

COLOR:
B=BLACK
R=RED(186C)

PLATING:
J=Sn 100u"

深圳市航通电子有限公司


2016.06.07

文管中心发行章

THE RESTRICTION OF ENVIRONMENTAL MANAGEMENT SUBSTANCES IS
BASED ON THE NEW VERSION OF HTQ-S-3Q-83

TITLE: 3.00MM PITCH ATX 4P VERTICAL TYPE		HOMETOM www.hometom.com.tw HORNG TONG ENTERPRISE CO.,LTD.			
TOLERANCE		APPROVAL:	UNIT: mm	PART NO: PW04S5***P201	
LINEAR: X. ± 0.30 .X ± 0.25 .XX ± 0.20	ANGLE: X° $\pm 2^\circ$.X° $\pm 1^\circ$.XX° $\pm 0.5^\circ$	CHECK:	SIZE: A4	DWG.NO: CPW101-00	
CUSTOMER DRAWING	REV: A	DRAWN:	SCALE: 2:1	PRJ.:	SHEET: 1 / 2


RECOMMENDED P.C.B LAYOUT
TOLERANCE: ± 0.05 (TOP VIEW)




REV.	ECN NO.	DESCRIPTION	DWN.	APVD.	DATE
A	N/A	INITIAL ISSUE	HL	DLQ	2016/06/06




PRODUCT




PE BAG



LABEL



INNER CARTON



LABEL

SHIPPING CARTON



NOTE :

1.DIMENSION :

CARTON:L=260mm, W=188mm, H=243mm

BAG:L=285mm, W=210mm, H=0.08mm

2.QUANTITY:

1000 PCS/ BAG

10 BAG/ CARTON

10000 PCS/ CARTON

THE RESTRICTION OF ENVIRONMENTAL MANAGEMENT SUBSTANCES IS
BASED ON THE NEW VERSION OF HTQ-S-3Q-83

TITLE: 3.00MM PITCH ATX 4P VERTICAL TYPE		HOMETOM www.hometom.com.tw HORNG TONG ENTERPRISE CO.,LTD.			
TOLERANCE		APPROVAL:	UNIT:	PART NO:	
LINEAR:	ANGLE:	[Signature]	mm	PW04S5***P201	
X. ±0.30	X° ±2°				
.X ±0.25	.X° ±1°				
.XX ±0.20	.XX° ±0.5°	CHECK:	SIZE:	DWG.NO:	
			A4	CPW101-00	
CUSTOMER DRAWING	REV: A	DRAWN:	SCALE:	PRJ.:	SHEET:
			1:5		2 / 2

深圳市弘通电子有限公司

技术文件发行通知单

申请类别	☒ 工程图面 ☐ BOM表 ☐ SOP ☐ SIP ☐ 产品规范		
文件名称	SQ 0.64*11.0 四方针 打四面K (TPW004-00)	日期	16 年 06 月 06 日
申请原因: 首版发行			
深圳市弘通电子有限公司 2016.06.07 文管中心发行章			
受文单位:			
☐ 制造部		☐ 业务部	
☐ 研发部		☐ 注塑部	
☐ 品保部		☐ 冲压部	
☐ 资材部		☐ 其它	
文管中心确认:		日期	一 年 月 日
核准	审核:	制定:	