

SHUR-PLUG 156

TE Internal #: 42142-2

Shur-Plug, 3.96 mm [.156 in] Pin Diameter, 18 – 14 AWG, .8 – 2 mm²


Wire, 1624 – 4106 CMA, Open Barrel, Unplated Plating, SHUR-


PLUG 156

View on TE.com >



Terminals & Splices > Crimp Wire Pins, Tabs & Ferrules











Crimp Wire Terminal Type: Shur-Plug

Mating Pin Diameter: 3.96 mm [.156 in]

Compatible Insulation Diameter Range: 4.44 mm, 3.3 – 4.44 mm [.13 – .174 in, .175 in]

Wire Size: .8 – 2 mm²

Features

Packaging Features

Packaging Quantity	12000
Packaging Method	Reel

Product Type Features

Configuration Features

Compatible With Wire & Cable Type	Discrete Wire	

Contact Features

Crimp Wire Terminal Type	Shur-Plug
Mating Pin Diameter	3.96 mm[.156 in]
Barrel Type	Open
Terminal Plating Material	Unplated
Terminal Orientation	Straight

Mechanical Attachment



Dimensions

Compatible Insulation Diameter Range	4.44 mm, 3.3 – 4.44 mm[.13 – .174 in][.175 in]
Wire Size	1624 – 4106 CMA
Barrel Inside Diameter	3.68 mm, 2.15 mm[.145 in][.085 in]
Terminal Material Thickness	.39 mm[.016 in]
Overall Product Length	17.65 mm[.695 in]

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-40 - 85 °C[-40 - 185 °F]

Other

EU RoHS Compliance	Compliant
EU ELV Compliance	Compliant

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach



Compatible Parts














Also in the Series | SHUR-PLUG 156



Customers Also Bought

























Documents

Product Drawings

SHUR PLUG TERMINAL 18-14 AWG BR

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_42142-2_BC.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_42142-2_BC.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_42142-2_BC.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Application Specification

English