







SECTION A-A
SCALE 2:1







广东星坤科技股份有限公司

							ANGLAR	±5°
Δ _生		日期					L ≤ 4	±0.2
Δ _教		期					4 < L ≤ 16	±0.3
Δ _学							16 < L ≤ 63	±0.4
MARK	DESCRIPTION	DATE	REVISED	APPROVED			L > 63	±0.5
文件工程章							UNSPECIFIED TOLERANCES	
www.helloxkb.com www.helloxkb.cn www.xk-da.cn								

XKLE

DSND		SCALE: N/A	MODEL TYPE:		
DWN		VIEW: 	PART NO.:		
CHKD		UNIT: mm/in	X9405WV-288XX-46V15		
APPD		SIZE: A4	DWG NO.:		
			X-X9405WV-288XX-46V15		
L PRECISION CO., LIMITED			WEIGHT	SHEET	REVISION
				1/1	A0




广东星坤科技股份有限公司

Δ建		日期
Δ效		
ΔX		
MARK	文件工程章	

REVISIONS				DATE	REVISED	APPROVED	UNSPECIFIED TOLERANCES
DESCRIPTION							
ANGLAR	±5°						
L ≤ 4	±0.2						
4 < L ≤ 16	±0.3						
16 < L ≤ 63	±0.4						
L > 63	±0.5						

XKL3		DSND		SCALE: N/A	MODEL TYPE:
		DWN		VIEW:	PART NO.: X9405WV-288XX-46V15
		CHKD		UNIT: mm/in	DWG NO.: X-X9405WV-288XX-46V15
		APPD		SIZE: A4	WEIGHT
XKB INDUSTRIAL PRECISION CO., LIMITED				SHEET	REVISION
				1/1	A0




RECOMMENDED PCB LAYOUT (TOP VIEW)

广东星坤科技股份有限公司	
Δ年	日期
Δ月	
Δ日	
MARK	文件工程章

				ANGLAR	±5°
				L≤ 4	±0.2
				4<L≤ 16	±0.3
				16<L≤ 63	±0.4
ON	DATE	REVISED	APPROVED	L> 63	±0.5
REVISIONS				UNSPECIFIED TOLERANCES	
www.helloxkb.com www.helloxkb.cn www.xk-dg.cn					



DSND		SCALE: N/A	MODEL TYPE:
DWN		VIEW:	PART NO.: X9405WV-288XX-46V15
CHKD		UNIT: mm/in	DWG NO.: X-X9405WV-288XX-46V15
APPD		SIZE: A4	WEIGHT SHEET REVISION
XKB INDUSTRIAL PRECISION CO., LIMITED			1/1 A0



147.30	162.00	LONG
142.35	156.00	MIDDLE
140.80	152.00	SHORT
DIM.B±0.30	DIM.A	LATCH TYPE

NOTES 注释:

1. MATERIAL材料:

- 1.1 HOUSING外壳:PA66, UL94 V-0, COLOR:SEE PART NO.
- 1.2 LATCH锁:PA66, UL94 V-0, COLOR: SEE PART NO..
- 1.3 CONTACTS触点: COPPER ALLOY.
- 1.4 BOARDLOCK针脚: SUS.

2. FINISH饰面:

2.1 CONTACT触点:

[SEE PART NO..] GOLD PLATING ON THE CONTACT AREA.
2.54um [100u"] MIN. MATTE-TIN PLATING ON THE SOLDERING AREA
1.27um [50u"] MIN. NICKEL UNDERPLATING OVERALL.

X9405 W V - 288 X X - 46 V15
① ② ③ ④ ⑤ ⑥ ⑦ ⑧

1.Series Nunber

2.Terminal form: W-Wafer

3.Welding Board Angle : V-Stright Angle 180°

4.No.of Pins: XX-288 Pin

5.Board lock:H-2.67mm ; I-3.18mm ; J-2.4mm

6.Latch Type: 1.short latch;2.long latch;3.middle Latch

7.latchPlastic material: PA46 /PA9T UL94V-0

8.Contact Plating:V01-Gold Flash V15-Gold 15u" V30-Gold 30u"

广东星坤科技股份有限公司

Δ建	日期
Δ改	
Δ改	
MARK	文件工程章

DESCRIPTION	DATE	REVISED	APPROVED	UNSPECIFIED TOLERANCES
REVISIONS				
www.helloxkb.com	www.helloxkb.cn	www.xk-dg.cn		



DSND	SCALE: N/A	MODEL TYPE:
DWN	VIEW: ④	PART NO.: X9405WV-288XX-46V15
CHKD	UNIT: mm/in	DWG NO.: X-X9405WV-288XX-46V15
APPD	SIZE: A4	WEIGHT
		SHEET
		REVISION
		1/1
		A0

XKB INDUSTRIAL PRECISION CO.,LIMITED

